

# KubeJS Create

Download: [CurseForge](#), [Modrinth](#)

The example scripts are only here to demonstrate the recipes. They are not meant to be used with the items shown.

## Compacting

Syntax: `compacting(output[], input[])`

Features:

- supports multiple inputs and outputs
- supports `.heated()` and `.superheated()`
- can have a fluid output as long as it has another item output
- supports chance-based output
- uses the **Mechanical Press**, **Basin**, and optionally a **Blaze Burner**

```
ServerEvents.recipes(e => {
  e.recipes.create.compacting('diamond', 'coal_block')
  e.recipes.create.compacting('diamond', 'coal_block').heated()
  e.recipes.create.compacting('diamond', 'coal_block').superheated()
  e.recipes.create.compacting([Fluid.water(10), 'dead_bush'], ['#minecraft:saplings',
'#minecraft:saplings'])
  e.recipes.create.compacting(['diamond', Item.of('diamond').withChance(0.3)], 'coal_block')
})
```

## Crushing

Syntax: `crushing(output[], input)`

Features:

- supports multiple chance-based outputs
- supports `.processingTime()`
- uses the **Crushing Wheels**

```
ServerEvents.recipes(e => {
  e.recipes.create.crushing('diamond', 'coal_block')
  e.recipes.create.crushing('diamond', 'coal_block').processingTime(500)
  e.recipes.create.crushing(['diamond', Item.of('diamond').withChance(0.5)], 'coal_block')
})
```

---

## Cutting

Syntax: `cutting(output[], input)`

Features:

- supports multiple chance-based outputs
- supports `.processingTime()`
- uses the **Mechanical Saw**

```
ServerEvents.recipes(e => {
  e.recipes.create.cutting('diamond', 'coal_block')
  e.recipes.create.cutting('diamond', 'coal_block').processingTime(500)
  e.recipes.create.cutting(['diamond', Item.of('diamond').withChance(0.5)], 'coal_block')
})
```

---

## Deploying

Syntax: `deploying(output[], input[])`

Features:

- supports multiple chance-based outputs
- requires exactly two inputs, the second input is what the Deployer is holding
- supports `.keepHeldItem()`
- uses the **Deployer**

```
ServerEvents.recipes(e => {
  e.recipes.create.deploying('diamond', ['coal_block', 'sand'])
  e.recipes.create.deploying(['diamond', 'emerald'], ['coal_block', 'sand']).keepHeldItem()
  e.recipes.create.deploying(['diamond', Item.of('diamond').withChance(0.5)], ['coal_block', 'sand'])
})
```

---

## Emptying

Syntax: `emptying(output[], input)`

Features:

- requires one input and two outputs, the outputs must be an item and a fluid
- uses the **Item Drain**

```
ServerEvents.recipes(e => {  
  e.recipes.create.emptying([Fluid.water(), 'bucket'], 'water_bucket')  
})
```

---

## Filling

Syntax: `filling(output, input[])`

Features:

- requires two inputs and one output, the inputs must be an item and a fluid
- uses the **Spout**

```
ServerEvents.recipes(e => {  
  e.recipes.create.filling('water_bucket', [Fluid.water(), 'bucket'])  
})
```

---

## Haunting

Syntax: `haunting(output[], input)`

Features:

- supports multiple chance-based outputs
- uses the **Encased Fan** and **Soul Fire**

```
ServerEvents.recipes(e => {  
  e.recipes.create.haunting('soul_campfire', 'campfire')  
  e.recipes.create.haunting(['wheat', 'oak_sapling'], 'potato')  
  e.recipes.create.haunting(['wheat', Item.of('oak_sapling').withChance(0.2)], 'potato')  
})
```

---

## Mechanical Crafting

Syntax: `mechanical_crafting(output, pattern[], keys{})`

## Features:

- mostly identical to the default Shaped Crafting
- supports up to 9x9 grid size
- uses the **Mechanical Crafter**

```
ServerEvents.recipes(e => {
  e.recipes.create.mechanical_crafting('emerald', [
    ' DDD ',
    'D  D',
    'D  D',
    'D  D',
    ' DDD '
  ], {
    D: 'dirt'
  })
})
```

---

## Milling

Syntax: `milling(output[], input)`

## Features:

- supports multiple chance-based outputs
- uses the **Millstone**

```
ServerEvents.recipes(e => {
  e.recipes.create.milling('diamond', 'coal_block')
  e.recipes.create.milling(['diamond', 'emerald'], 'coal_block')
  e.recipes.create.milling(['diamond', Item.of('diamond').withChance(0.5)], 'coal_block')
})
```

---

## Mixing

Syntax: `mixing(output[], input)`

## Features:

- supports multiple chance-based outputs
- supports fluid inputs and outputs
- supports `.heated()` and `.superheated()`

- uses the **Mechanical Mixer, Basin**, and optionally a **Blaze Burner**

```
ServerEvents.recipes(e => {
  e.recipes.create.mixing('diamond', 'coal_block')
  e.recipes.create.mixing('diamond', 'coal_block').heated()
  e.recipes.create.mixing('diamond', 'coal_block').superheated()
  e.recipes.create.mixing([Fluid.water(10), 'dead_bush'], ['#minecraft:saplings',
  '#minecraft:saplings'])
  e.recipes.create.mixing(['diamond', Item.of('diamond').withChance(0.3)], 'coal_block')
})
```

---

## Pressing

Syntax: `pressing(output[], input)`

Features:

- supports multiple chance-based outputs
- uses the **Mechanical Press**

```
ServerEvents.recipes(e => {
  e.recipes.create.pressing('diamond', 'coal_block')
  e.recipes.create.pressing(['diamond', 'emerald'], 'coal_block')
  e.recipes.create.pressing(['diamond', Item.of('diamond').withChance(0.5)], 'coal_block')
})
```

---

## Sandpaper Polishing

Syntax: `sandpaper_polishing(output, input)`

Features:

- supports chance-based output
- uses any item tagged with `create:sandpaper`

```
ServerEvents.recipes(e => {
  e.recipes.create.sandpaper_polishing('diamond', 'coal_block')
  e.recipes.create.sandpaper_polishing(Item.of('diamond').withChance(0.5), 'coal_block')
})
```

---

## Sequenced Assembly

Syntax: `sequenced_assembly(output[], input, sequence[]).transitionalItem(item).loops(int)`

`Output` is an item or an array of items. If it is an array:

- The first item is the real output, the remainder is scrap.
- Only one item is chosen, with an equal chance of each.
- You can use `Item.of('create:shaft').withChance(2)` to double the chance of that item being chosen.

`Transitional Item` is any item used during the intermediate stages of the assembly.

`Sequence` is an array of recipes of the following types:

- `create:cutting`
- `create:pressing`
- `create:deploying`
- `create:filling`

The transitional item needs to be the input **and** output of each of these recipes.

`Loops` is the number of times that the recipe repeats. Calling `.loops()` is optional and defaults to **4**.

```
ServerEvents.recipes(e => {
  e.recipes.create.sequenced_assembly([
    Item.of('create:precision_mechanism').withChance(130.0), // this is the item that will appear
    in JEI as the result
    Item.of('create:golden_sheet').withChance(8.0), // the rest of these items will be part of the
    scrap
    Item.of('create:andesite_alloy').withChance(8.0),
    Item.of('create:cogwheel').withChance(5.0),
    Item.of('create:shaft').withChance(2.0),
    Item.of('create:crushed_gold_ore').withChance(2.0),
    Item.of('2x_gold_nugget').withChance(2.0),
    'iron_ingot',
    'clock'
  ], 'create:golden_sheet', [ // 'create:golden_sheet' is the input
    // the transitional item set by `transitionalItem('create:incomplete_large_cogwheel')` is the
    item used during the intermediate stages of the assembly
    e.recipes.createDeploying('create:incomplete_precision_mechanism',
    ['create:incomplete_precision_mechanism', 'create:cogwheel']),
    // like a normal recipe function, is used as a sequence step in this array. Input and output
    have the transitional item
```

```

    e.recipes.createDeploying('create:incomplete_precision_mechanism',
    ['create:incomplete_precision_mechanism', 'create:large_cogwheel']),
    e.recipes.createDeploying('create:incomplete_precision_mechanism',
    ['create:incomplete_precision_mechanism', 'create:iron_nugget'])
    ).transitionalItem('create:incomplete_precision_mechanism').loops(5) // set the transitional
    item and the number of loops

    // for this code to work, kubejs:incomplete_spore_blossom needs to be added to the game
    let inter = 'kubejs:incomplete_spore_blossom' // making a variable to store the transitional
    item makes the code more readable
    e.recipes.create.sequenced_assembly([
    Item.of('spore_blossom').withChance(16.0), // this is the item that will appear in JEI as the
    result
    Item.of('flowering_azalea_leaves').withChance(16.0), // the rest of these items will be part
    of the scrap
    Item.of('azalea_leaves').withChance(2.0),
    'oak_leaves',
    'spruce_leaves',
    'birch_leaves',
    'jungle_leaves',
    'acacia_leaves',
    'dark_oak_leaves'
    ], 'flowering_azalea_leaves', [ // 'flowering_azalea_leaves' is the input
    // the transitional item is a variable, that is 'kubejs:incomplete_spore_blossom' and is used
    during the intermediate stages of the assembly
    e.recipes.createPressing(inter, inter),
    // like a normal recipe function, is used as a sequence step in this array. Input and output
    have the transitional item
    e.recipes.createDeploying(inter, [inter, 'minecraft:hanging_roots']),
    e.recipes.createFilling(inter, [inter, Fluid.water(420)]),
    e.recipes.createDeploying(inter, [inter, 'minecraft:moss_carpet']),
    e.recipes.createCutting(inter, inter)
    ]).transitionalItem(inter).loops(2) // set the transitional item and the number of loops
    })

```

## Transitional Items

As mentioned earlier, any item can be a transition item. However, this is not completely recommended.

If you wish to make your own transitional item, it's best if you make the type

`create:sequenced_assembly`.

```
StartupEvents.registry('item', e => {
  e.create('incomplete_spore_blossom', 'create:sequenced_assembly')
})
```

---

## Splashing/Washing

Syntax: `splashing(output[], input)`

Features:

- supports multiple chance-based outputs
- uses the **Encased Fan** and **Water**

```
ServerEvents.recipes(e => {
  e.recipes.create.splashing('soul_campfire', 'campfire')
  e.recipes.create.splashing(['wheat', 'oak_sapling'], 'potato')
  e.recipes.create.splashing(['wheat', Item.of('oak_sapling').withChance(0.2)], 'potato')
})
```

---

## Mysterious Conversion

Mysterious Conversion recipes are client-side only, so the only way to add them currently is using reflection.

Goes inside `client_scripts` and **not** in an event.

```
//reference the classes used for the recipe
let MysteriousItemConversionCategory =
Java.loadClass('com.simibubi.create.compat.jei.category.MysteriousItemConversionCategory')
let ConversionRecipe = Java.loadClass('com.simibubi.create.compat.jei.ConversionRecipe')

//add the recipes manually
MysteriousItemConversionCategory.RECIPES.add(ConversionRecipe.create('apple', 'carrot'))
MysteriousItemConversionCategory.RECIPES.add(ConversionRecipe.create('golden_apple',
'golden_carrot'))
```

---

## Preventing Recipe Auto-Generation

If you don't want smelting, blasting, smoking, crafting, or stonecutting to get an auto-generated counterpart, then include `manual_only` at the end of the recipe id:

```
ServerEvents.recipes(e => {
  e.shapeless('wet_sponge', ['water_bucket',
'sponge']).id('kubejs:moisting_the_sponge_manual_only')
})
```

Other types of prevention, can be done in the create config (the goggles button leads you there).

If it is not in the config, then you can not change it.

---

Revision #10

Created 2023-01-27 21:22:54 UTC by Lat

Updated 2023-08-31 21:13:33 UTC by Nat